Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	2	3	5
Diagnosis		% within Sex	1.3%	8.1%	2.5%
	20-24	Count	20	2	22
		% within Sex	12.5%	5.4%	11.2%
	25-29	Count	31	3	34
		% within Sex	19.4%	8.1%	17.3%
	30-34	Count	39	4	43
		% within Sex	24.4%	10.8%	21.8%
	35-39	Count	28	8	36
		% within Sex	17.5%	21.6%	18.3%
	40-44	Count	20	7	27
		% within Sex	12.5%	18.9%	13.7%
	45-49	Count	10	5	15
		% within Sex	6.3%	13.5%	7.6%
	50-54	Count	4	3	7
		% within Sex	2.5%	8.1%	3.6%
	55-59	Count	4	1	5
		% within Sex	2.5%	2.7%	2.5%
	60-64	Count	1	1	2
		% within Sex	.6%	2.7%	1.0%
	65-69	Count	1	0	1
		% within Sex	.6%	.0%	.5%
Total		Count	160	37	197
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	76	14	90
		% within Sex	47.5%	37.8%	45.7%
	African American	Count	38	18	56
		% within Sex	23.8%	48.6%	28.4%
	Hispanic	Count	42	5	47
		% within Sex	26.3%	13.5%	23.9%
	Asian-Pacific Islander	Count	2	0	2
		% within Sex	1.3%	.0%	1.0%
	Am Indian-Alaskan	Count	2	0	2
		% within Sex	1.3%	.0%	1.0%
Total		Count	160	37	197
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	112	0	112
Exposure		% within Sex	70.0%	.0%	56.9%
	IDU	Count	5	6	11
		% within Sex	3.1%	16.2%	5.6%
	M-M & IDU	Count	9	0	9
		% within Sex	5.6%	.0%	4.6%
	Heterosexual Contact	Count	8	16	24
		% within Sex	5.0%	43.2%	12.2%
	Transfusion	Count	0	1	1
		% within Sex	.0%	2.7%	.5%
	Not Classified	Count	26	14	40
		% within Sex	16.3%	37.8%	20.3%
Total		Count	160	37	197
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

			Adult-Ped	
			Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	90	90
		% within Adult-Ped	45.7%	45.7%
	African American	Count	56	56
		% within Adult-Ped	28.4%	28.4%
	Hispanic	Count	47	47
		% within Adult-Ped	23.9%	23.9%
	Asian-Pacific Islander	Count	2	2
		% within Adult-Ped	1.0%	1.0%
	Am Indian-Alaskan	Count	2	2
		% within Adult-Ped	1.0%	1.0%
Total		Count	197	197
		% within Adult-Ped	100.0%	100.0%

a. EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	1	1	2
Diagnosis		% within Sex	.3%	2.3%	.6%
	13-19	Count	5	3	8
		% within Sex	1.7%	7.0%	2.4%
	20-24	Count	25	5	30
		% within Sex	8.5%	11.6%	8.9%
	25-29	Count	48	5	53
		% within Sex	16.3%	11.6%	15.7%
	30-34	Count	73	7	80
		% within Sex	24.8%	16.3%	23.7%
	35-39	Count	56	10	66
		% within Sex	19.0%	23.3%	19.6%
	40-44	Count	47	6	53
		% within Sex	16.0%	14.0%	15.7%
	45-49	Count	23	3	26
		% within Sex	7.8%	7.0%	7.7%
	50-54	Count	9	2	11
		% within Sex	3.1%	4.7%	3.3%
	55-59	Count	3	1	4
		% within Sex	1.0%	2.3%	1.2%
	60-64	Count	3	0	3
		% within Sex	1.0%	.0%	.9%
	65-69	Count	1	0	1
		% within Sex	.3%	.0%	.3%
Total		Count	294	43	337
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	178	11	189
		% within Sex	60.5%	25.6%	56.1%
	African American	Count	52	21	73
		% within Sex	17.7%	48.8%	21.7%
	Hispanic	Count	63	11	74
		% within Sex	21.4%	25.6%	22.0%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.3%	.0%	.3%
Total		Count	294	43	337
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	199	0	199
Exposure		% within Sex	67.7%	.0%	59.1%
	IDU	Count	18	9	27
		% within Sex	6.1%	20.9%	8.0%
	M-M & IDU	Count	28	0	28
		% within Sex	9.5%	.0%	8.3%
	Heterosexual Contact	Count	12	22	34
		% within Sex	4.1%	51.2%	10.1%
	Transfusion	Count	3	0	3
		% within Sex	1.0%	.0%	.9%
	Not Classified	Count	33	11	44
		% within Sex	11.2%	25.6%	13.1%
	Ped Parent at Risk	Count	1	1	2
		% within Sex	.3%	2.3%	.6%
Total		Count	294	43	337
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

			Adult-Ped		
			Dodiatria	Adult/	Total
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	0	189	189
		% within Adult-Ped	.0%	56.4%	56.1%
	African American	Count	1	72	73
		% within Adult-Ped	50.0%	21.5%	21.7%
	Hispanic	Count	1	73	74
		% within Adult-Ped	50.0%	21.8%	22.0%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.3%	.3%
Total		Count	2	335	337
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	5	4	9
Diagnosis		% within Sex	.5%	2.0%	.8%
	1 (12-23 mo)	Count	0	4	4
		% within Sex	.0%	2.0%	.4%
	2-4	Count	4	0	4
		% within Sex	.4%	.0%	.4%
	5-12	Count	2	0	2
		% within Sex	.2%	.0%	.2%
	13-19	Count	14	15	29
		% within Sex	1.5%	7.5%	2.6%
	20-24	Count	97	32	129
		% within Sex	10.5%	15.9%	11.5%
	25-29	Count	170	30	200
		% within Sex	18.4%	14.9%	17.8%
	30-34	Count	225	33	258
		% within Sex	24.3%	16.4%	22.9%
	35-39	Count	174	31	205
		% within Sex	18.8%	15.4%	18.2%
	40-44	Count	119	25	144
		% within Sex	12.9%	12.4%	12.8%
	45-49	Count	65	11	76
		% within Sex	7.0%	5.5%	6.7%
	50-54	Count	29	11	40
		% within Sex	3.1%	5.5%	3.6%
	55-59	Count	11	2	13
		% within Sex	1.2%	1.0%	1.2%
	60-64	Count	6	2	8
		% within Sex	.6%	1.0%	.7%
	65-69	Count	3	1	4
		% within Sex	.3%	.5%	.4%
	70+	Count	1	0	1
		% within Sex	.1%	.0%	.1%
Total		Count	925	201	1126
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	527	63	590
		% within Sex	57.0%	31.3%	52.4%
	African American	Count	188	92	280
		% within Sex	20.3%	45.8%	24.9%
	Hispanic	Count	199	46	245
		% within Sex	21.5%	22.9%	21.8%
	Asian-Pacific Islander	Count	5	0	5
		% within Sex	.5%	.0%	.4%
	Am Indian-Alaskan	Count	5	0	5
		% within Sex	.5%	.0%	.4%
	Not Specified	Count	1	0	1
		% within Sex	.1%	.0%	.1%
Total	_	Count	925	201	1126
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	595	0	595
Exposure		% within Sex	64.3%	.0%	52.8%
	IDU	Count	63	39	102
		% within Sex	6.8%	19.4%	9.1%
	M-M & IDU	Count	79	0	79
		% within Sex	8.5%	.0%	7.0%
	Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	34	89	123
		% within Sex	3.7%	44.3%	10.9%
	Transfusion	Count	3	4	7
		% within Sex	.3%	2.0%	.6%
	Not Classified	Count	139	61	200
		% within Sex	15.0%	30.3%	17.8%
	Ped Parent at Risk	Count	9	8	17
		% within Sex	1.0%	4.0%	1.5%
	Ped Other-Undet	Count	2	0	2
		% within Sex	.2%	.0%	.2%
Total		Count	925	201	1126
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	7	583	590
,	·	% within Adult-Ped	36.8%	52.7%	52.4%
	African American	Count	8	272	280
		% within Adult-Ped	42.1%	24.6%	24.9%
	Hispanic	Count	4	241	245
		% within Adult-Ped	21.1%	21.8%	21.8%
	Asian-Pacific Islander	Count	0	5	5
		% within Adult-Ped	.0%	.5%	.4%
	Am Indian-Alaskan	Count	0	5	5
		% within Adult-Ped	.0%	.5%	.4%
	Not Specified	Count	0	1	1
		% within Adult-Ped	.0%	.1%	.1%
Total		Count	19	1107	1126
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	5	4	9
Diagnosis		% within Sex	.5%	2.0%	.8%
	1 (12-23 mo)	Count	0	4	4
		% within Sex	.0%	2.0%	.4%
	2-4	Count	4	0	4
		% within Sex	.4%	.0%	.4%
	5-12	Count	2	0	2
		% within Sex	.2%	.0%	.2%
	13-19	Count	14	15	29
		% within Sex	1.5%	7.6%	2.6%
	20-24	Count	96	32	128
		% within Sex	10.5%	16.2%	11.5%
	25-29	Count	170	30	200
		% within Sex	18.6%	15.2%	18.0%
	30-34	Count	224	32	256
		% within Sex	24.5%	16.2%	23.0%
	35-39	Count	172	31	203
		% within Sex	18.8%	15.7%	18.2%
	40-44	Count	116	24	140
		% within Sex	12.7%	12.1%	12.6%
	45-49	Count	64	11	75
		% within Sex	7.0%	5.6%	6.7%
	50-54	Count	28	11	39
		% within Sex	3.1%	5.6%	3.5%
	55-59	Count	11	1	12
		% within Sex	1.2%	.5%	1.1%
	60-64	Count	6	2	8
		% within Sex	.7%	1.0%	.7%
	65-69	Count	2	1	3
		% within Sex	.2%	.5%	.3%
	70+	Count	1	0	1
		% within Sex	.1%	.0%	.1%
Total		Count	915	198	1113
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se		
			Male	Female	Total
Current	1 (12-23 mo)	Count	0	1	1
Age		% within Sex	.0%	.5%	.1%
·	2-4	Count	2	2	4
		% within Sex	.2%	1.0%	.4%
·	5-12	Count	5	4	9
		% within Sex	.5%	2.0%	.8%
	13-19	Count	5	5	10
		% within Sex	.5%	2.5%	.9%
	20-24	Count	47	18	65
		% within Sex	5.1%	9.1%	5.8%
	25-29	Count	97	28	125
		% within Sex	10.6%	14.1%	11.2%
	30-34	Count	186	36	222
		% within Sex	20.3%	18.2%	19.9%
	35-39	Count	205	28	233
		% within Sex	22.4%	14.1%	20.9%
,	40-44	Count	156	33	189
		% within Sex	17.0%	16.7%	17.0%
	45-49	Count	120	24	144
		% within Sex	13.1%	12.1%	12.9%
	50-54	Count	54	10	64
		% within Sex	5.9%	5.1%	5.8%
	55-59	Count	21	6	27
		% within Sex	2.3%	3.0%	2.4%
·	60-64	Count	12	2	14
		% within Sex	1.3%	1.0%	1.3%
	65-69	Count	2	1	3
		% within Sex	.2%	.5%	.3%
	70+	Count	3	0	3
		% within Sex	.3%	.0%	.3%
Total		Count	915	198	1113
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	524	62	586
		% within Sex	57.3%	31.3%	52.7%
	African American	Count	183	90	273
		% within Sex	20.0%	45.5%	24.5%
	Hispanic	Count	197	46	243
		% within Sex	21.5%	23.2%	21.8%
	Asian-Pacific Islander	Count	5	0	5
		% within Sex	.5%	.0%	.4%
	Am Indian-Alaskan	Count	5	0	5
		% within Sex	.5%	.0%	.4%
	Not Specified	Count	1	0	1
		% within Sex	.1%	.0%	.1%
Total		Count	915	198	1113
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	590	0	590
Exposure		% within Sex	64.5%	.0%	53.0%
	IDU	Count	63	38	101
		% within Sex	6.9%	19.2%	9.1%
	M-M & IDU	Count	79	0	79
		% within Sex	8.6%	.0%	7.1%
	Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	34	87	121
		% within Sex	3.7%	43.9%	10.9%
	Transfusion	Count	3	4	7
		% within Sex	.3%	2.0%	.6%
	Not Classified	Count	134	61	195
		% within Sex	14.6%	30.8%	17.5%
	Ped Parent at Risk	Count	9	8	17
		% within Sex	1.0%	4.0%	1.5%
	Ped Other-Undet	Count	2	0	2
		% within Sex	.2%	.0%	.2%
Total		Count	915	198	1113
	A Lin	% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	7	579	586
		% within Adult-Ped	36.8%	52.9%	52.7%
	African American	Count	8	265	273
		% within Adult-Ped	42.1%	24.2%	24.5%
	Hispanic	Count	4	239	243
		% within Adult-Ped	21.1%	21.8%	21.8%
	Asian-Pacific Islander	Count	0	5	5
		% within Adult-Ped	.0%	.5%	.4%
	Am Indian-Alaskan	Count	0	5	5
		% within Adult-Ped	.0%	.5%	.4%
	Not Specified	Count	0	1	1
		% within Adult-Ped	.0%	.1%	.1%
Total	_	Count	19	1094	1113
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	2-4	Count	1	0	1
Diagnosis		% within Sex	.7%	.0%	.6%
	13-19	Count	1	1	2
		% within Sex	.7%	3.7%	1.2%
	20-24	Count	5	1	6
		% within Sex	3.6%	3.7%	3.6%
	25-29	Count	12	5	17
		% within Sex	8.6%	18.5%	10.2%
	30-34	Count	25	3	28
		% within Sex	18.0%	11.1%	16.9%
	35-39	Count	33	8	41
		% within Sex	23.7%	29.6%	24.7%
	40-44	Count	27	5	32
		% within Sex	19.4%	18.5%	19.3%
	45-49	Count	18	4	22
		% within Sex	12.9%	14.8%	13.3%
	50-54	Count	7	0	7
		% within Sex	5.0%	.0%	4.2%
	55-59	Count	7	0	7
		% within Sex	5.0%	.0%	4.2%
	60-64	Count	2	0	2
		% within Sex	1.4%	.0%	1.2%
	65-69	Count	1	0	1
		% within Sex	.7%	.0%	.6%
Total		Count	139	27	166
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

			Se	Sex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	57	6	63
		% within Sex	41.0%	22.2%	38.0%
	African American	Count	32	18	50
		% within Sex	23.0%	66.7%	30.1%
	Hispanic	Count	48	3	51
		% within Sex	34.5%	11.1%	30.7%
	Asian-Pacific Islander	Count	2	0	2
		% within Sex	1.4%	.0%	1.2%
Total		Count	139	27	166
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

AIDS Cases Reported during 2003 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	85	0	85
Exposure		% within Sex	61.2%	.0%	51.2%
	IDU	Count	7	6	13
		% within Sex	5.0%	22.2%	7.8%
	M-M & IDU	Count	6	0	6
		% within Sex	4.3%	.0%	3.6%
	Heterosexual Contact	Count	8	12	20
		% within Sex	5.8%	44.4%	12.0%
	Transfusion	Count	1	0	1
		% within Sex	.7%	.0%	.6%
	Not Classified	Count	31	9	40
		% within Sex	22.3%	33.3%	24.1%
	Ped Parent at Risk	Count	1	0	1
		% within Sex	.7%	.0%	.6%
Total		Count	139	27	166
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

			Adı	ult-Ped	
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	0	63	63
		% within Adult-Ped	.0%	38.2%	38.0%
	African American	Count	0	50	50
		% within Adult-Ped	.0%	30.3%	30.1%
	Hispanic	Count	1	50	51
		% within Adult-Ped	100.0%	30.3%	30.7%
	Asian-Pacific Islander	Count	0	2	2
		% within Adult-Ped	.0%	1.2%	1.2%
Total		Count	1	165	166
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	0	1	1
Diagnosis		% within Sex	.0%	2.8%	.5%
	13-19	Count	2	0	2
		% within Sex	1.3%	.0%	1.0%
	20-24	Count	3	2	5
		% within Sex	1.9%	5.6%	2.6%
	25-29	Count	26	5	31
		% within Sex	16.5%	13.9%	16.0%
	30-34	Count	27	8	35
		% within Sex	17.1%	22.2%	18.0%
	35-39	Count	30	10	40
		% within Sex	19.0%	27.8%	20.6%
	40-44	Count	22	4	26
		% within Sex	13.9%	11.1%	13.4%
	45-49	Count	26	3	29
		% within Sex	16.5%	8.3%	14.9%
	50-54	Count	12	2	14
		% within Sex	7.6%	5.6%	7.2%
	55-59	Count	5	0	5
		% within Sex	3.2%	.0%	2.6%
	60-64	Count	2	1	3
		% within Sex	1.3%	2.8%	1.5%
	65-69	Count	2	0	2
		% within Sex	1.3%	.0%	1.0%
	70+	Count	1	0	1
		% within Sex	.6%	.0%	.5%
Total		Count	158	36	194
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	82	9	91
		% within Sex	51.9%	25.0%	46.9%
	African American	Count	37	17	54
		% within Sex	23.4%	47.2%	27.8%
	Hispanic	Count	38	10	48
		% within Sex	24.1%	27.8%	24.7%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.6%	.0%	.5%
Total		Count	158	36	194
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	92	0	92
Exposure		% within Sex	58.2%	.0%	47.4%
	IDU	Count	15	11	26
		% within Sex	9.5%	30.6%	13.4%
	M-M & IDU	Count	13	0	13
		% within Sex	8.2%	.0%	6.7%
	Heterosexual Contact	Count	12	13	25
		% within Sex	7.6%	36.1%	12.9%
	Transfusion	Count	1	1	2
		% within Sex	.6%	2.8%	1.0%
	Not Classified	Count	25	10	35
		% within Sex	15.8%	27.8%	18.0%
	Ped Parent at Risk	Count	0	1	1
		% within Sex	.0%	2.8%	.5%
Total		Count	158	36	194
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	0	91	91
		% within Adult-Ped	.0%	47.2%	46.9%
	African American	Count	1	53	54
		% within Adult-Ped	100.0%	27.5%	27.8%
	Hispanic	Count	0	48	48
		% within Adult-Ped	.0%	24.9%	24.7%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.5%	.5%
Total		Count	1	193	194
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Age at	0 (0-11 mo)	Count	8	8	16
Diagnosis		% within Sex	.2%	1.4%	.4%
	1 (12-23 mo)	Count	1	2	3
		% within Sex	.0%	.4%	.1%
	2-4	Count	4	1	5
		% within Sex	.1%	.2%	.1%
	5-12	Count	0	4	4
		% within Sex	.0%	.7%	.1%
	13-19	Count	10	12	22
		% within Sex	.3%	2.2%	.5%
	20-24	Count	166	45	211
		% within Sex	4.2%	8.1%	4.7%
	25-29	Count	648	96	744
		% within Sex	16.6%	17.3%	16.7%
-	30-34	Count	988	109	1097
		% within Sex	25.3%	19.7%	24.6%
	35-39	Count	922	125	1047
		% within Sex	23.6%	22.6%	23.4%
	40-44	Count	575	76	651
		% within Sex	14.7%	13.7%	14.6%
-	45-49	Count	334	33	367
		% within Sex	8.5%	6.0%	8.2%
	50-54	Count	136	23	159
		% within Sex	3.5%	4.2%	3.6%
	55-59	Count	66	8	74
		% within Sex	1.7%	1.4%	1.7%
-	60-64	Count	29	6	35
		% within Sex	.7%	1.1%	.8%
-	65-69	Count	15	2	17
		% within Sex	.4%	.4%	.4%
	70+	Count	10	4	14
		% within Sex	.3%	.7%	.3%
Total		Count	3912	554	4466
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	2252	165	2417
		% within Sex	57.6%	29.8%	54.1%
	African American	Count	878	303	1181
		% within Sex	22.4%	54.7%	26.4%
	Hispanic	Count	765	83	848
		% within Sex	19.6%	15.0%	19.0%
	Asian-Pacific Islander	Count	9	3	12
		% within Sex	.2%	.5%	.3%
	Am Indian-Alaskan	Count	8	0	8
		% within Sex	.2%	.0%	.2%
Total		Count	3912	554	4466
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	2500	0	2500
Exposure		% within Sex	63.9%	.0%	56.0%
	IDU	Count	556	240	796
		% within Sex	14.2%	43.3%	17.8%
	M-M & IDU	Count	391	0	391
		% within Sex	10.0%	.0%	8.8%
	Hemophiliac	Count	9	0	9
		% within Sex	.2%	.0%	.2%
	Heterosexual Contact	Count	117	204	321
		% within Sex	3.0%	36.8%	7.2%
	Transfusion	Count	19	16	35
		% within Sex	.5%	2.9%	.8%
	Not Classified	Count	306	78	384
		% within Sex	7.8%	14.1%	8.6%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.0%	.0%	.0%
	Ped Parent at Risk	Count	13	15	28
		% within Sex	.3%	2.7%	.6%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	.2%	.0%
Total		Count	3912	554	4466
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	7	2410	2417
		% within Adult-Ped	25.0%	54.3%	54.1%
	African American	Count	15	1166	1181
		% within Adult-Ped	53.6%	26.3%	26.4%
	Hispanic	Count	6	842	848
		% within Adult-Ped	21.4%	19.0%	19.0%
	Asian-Pacific Islander	Count	0	12	12
		% within Adult-Ped	.0%	.3%	.3%
	Am Indian-Alaskan	Count	0	8	8
		% within Adult-Ped	.0%	.2%	.2%
Total		Count	28	4438	4466
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	2	4
Diagnosis		% within Sex	.1%	.6%	.2%
	2-4	Count	3	0	3
		% within Sex	.2%	.0%	.1%
	5-12	Count	0	3	3
		% within Sex	.0%	1.0%	.1%
	13-19	Count	7	6	13
		% within Sex	.4%	1.9%	.6%
	20-24	Count	78	33	111
		% within Sex	4.6%	10.6%	5.5%
	25-29	Count	269	54	323
		% within Sex	15.7%	17.4%	16.0%
	30-34	Count	420	63	483
		% within Sex	24.6%	20.3%	23.9%
	35-39	Count	417	69	486
		% within Sex	24.4%	22.2%	24.0%
	40-44	Count	252	44	296
		% within Sex	14.7%	14.1%	14.6%
	45-49	Count	157	20	177
		% within Sex	9.2%	6.4%	8.8%
	50-54	Count	52	10	62
		% within Sex	3.0%	3.2%	3.1%
	55-59	Count	36	4	40
		% within Sex	2.1%	1.3%	2.0%
	60-64	Count	11	1	12
		% within Sex	.6%	.3%	.6%
	65-69	Count	4	1	5
		% within Sex	.2%	.3%	.2%
	70+	Count	2	1	3
		% within Sex	.1%	.3%	.1%
Total		Count	1710	311	2021
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	2-4	Count	0	1	1
Age		% within Sex	.0%	.3%	.0%
	5-12	Count	5	1	6
		% within Sex	.3%	.3%	.3%
	13-19	Count	2	4	6
		% within Sex	.1%	1.3%	.3%
	20-24	Count	9	8	17
		% within Sex	.5%	2.6%	.8%
	25-29	Count	57	24	81
		% within Sex	3.3%	7.7%	4.0%
	30-34	Count	169	43	212
		% within Sex	9.9%	13.8%	10.5%
	35-39	Count	337	63	400
		% within Sex	19.7%	20.3%	19.8%
	40-44	Count	489	76	565
		% within Sex	28.6%	24.4%	28.0%
	45-49	Count	328	45	373
		% within Sex	19.2%	14.5%	18.5%
	50-54	Count	168	27	195
		% within Sex	9.8%	8.7%	9.6%
	55-59	Count	83	10	93
		% within Sex	4.9%	3.2%	4.6%
	60-64	Count	40	4	44
		% within Sex	2.3%	1.3%	2.2%
	65-69	Count	17	3	20
		% within Sex	1.0%	1.0%	1.0%
	70+	Count	6	2	8
		% within Sex	.4%	.6%	.4%
Total		Count	1710	311	2021
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	925	93	1018
		% within Sex	54.1%	29.9%	50.4%
	African American	Count	378	170	548
		% within Sex	22.1%	54.7%	27.1%
	Hispanic	Count	395	46	441
		% within Sex	23.1%	14.8%	21.8%
	Asian-Pacific Islander	Count	5	2	7
		% within Sex	.3%	.6%	.3%
	Am Indian-Alaskan	Count	7	0	7
		% within Sex	.4%	.0%	.3%
Total		Count	1710	311	2021
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	1029	0	1029
Exposure		% within Sex	60.2%	.0%	50.9%
	IDU	Count	225	119	344
		% within Sex	13.2%	38.3%	17.0%
	M-M & IDU	Count	191	0	191
		% within Sex	11.2%	.0%	9.5%
	Hemophiliac	Count	2	0	2
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	73	123	196
		% within Sex	4.3%	39.5%	9.7%
	Transfusion	Count	5	2	7
		% within Sex	.3%	.6%	.3%
	Not Classified	Count	180	62	242
		% within Sex	10.5%	19.9%	12.0%
	Ped Parent at Risk	Count	5	4	9
		% within Sex	.3%	1.3%	.4%
	Ped Other-Undet	Count	0	1	1
		% within Sex	.0%	.3%	.0%
Total		Count	1710	311	2021
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	1017	1018
		% within Adult-Ped	10.0%	50.6%	50.4%
	African American	Count	6	542	548
		% within Adult-Ped	60.0%	27.0%	27.1%
	Hispanic	Count	3	438	441
		% within Adult-Ped	30.0%	21.8%	21.8%
	Asian-Pacific Islander	Count	0	7	7
		% within Adult-Ped	.0%	.3%	.3%
	Am Indian-Alaskan	Count	0	7	7
		% within Adult-Ped	.0%	.3%	.3%
Total		Count	10	2011	2021
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin

Age at Diagnosis * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Age at	0 (0-11 mo)	Count	7	6	13
Diagnosis		% within Sex	.3%	1.2%	.4%
	1 (12-23 mo)	Count	0	4	4
		% within Sex	.0%	.8%	.1%
	2-4	Count	7	0	7
		% within Sex	.3%	.0%	.2%
	5-12	Count	2	3	5
		% within Sex	.1%	.6%	.2%
	13-19	Count	21	21	42
		% within Sex	.8%	4.1%	1.3%
	20-24	Count	174	65	239
		% within Sex	6.6%	12.8%	7.6%
	25-29	Count	439	84	523
		% within Sex	16.7%	16.5%	16.7%
	30-34	Count	644	95	739
		% within Sex	24.5%	18.7%	23.6%
	35-39	Count	589	100	689
		% within Sex	22.4%	19.6%	22.0%
	40-44	Count	368	68	436
		% within Sex	14.0%	13.4%	13.9%
	45-49	Count	221	31	252
		% within Sex	8.4%	6.1%	8.0%
	50-54	Count	80	21	101
		% within Sex	3.0%	4.1%	3.2%
	55-59	Count	47	5	52
		% within Sex	1.8%	1.0%	1.7%
	60-64	Count	17	3	20
		% within Sex	.6%	.6%	.6%
	65-69	Count	6	2	8
		% within Sex	.2%	.4%	.3%
	70+	Count	3	1	4
		% within Sex	.1%	.2%	.1%
Total		Count	2625	509	3134
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	1 (12-23 mo)	Count	0	1	1
Age		% within Sex	.0%	.2%	.0%
	2-4	Count	2	3	5
		% within Sex	.1%	.6%	.2%
	5-12	Count	10	5	15
		% within Sex	.4%	1.0%	.5%
	13-19	Count	7	9	16
		% within Sex	.3%	1.8%	.5%
	20-24	Count	56	26	82
		% within Sex	2.1%	5.1%	2.6%
	25-29	Count	154	52	206
		% within Sex	5.9%	10.2%	6.6%
	30-34	Count	355	79	434
		% within Sex	13.5%	15.5%	13.8%
	35-39	Count	542	91	633
		% within Sex	20.6%	17.9%	20.2%
	40-44	Count	645	109	754
		% within Sex	24.6%	21.4%	24.1%
	45-49	Count	448	69	517
		% within Sex	17.1%	13.6%	16.5%
	50-54	Count	222	37	259
		% within Sex	8.5%	7.3%	8.3%
	55-59	Count	104	16	120
		% within Sex	4.0%	3.1%	3.8%
	60-64	Count	52	6	58
		% within Sex	2.0%	1.2%	1.9%
	65-69	Count	19	4	23
		% within Sex	.7%	.8%	.7%
	70+	Count	9	2	11
		% within Sex	.3%	.4%	.4%
Total		Count	2625	509	3134
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	1449	155	1604
		% within Sex	55.2%	30.5%	51.2%
	African American	Count	561	260	821
		% within Sex	21.4%	51.1%	26.2%
	Hispanic	Count	592	92	684
		% within Sex	22.6%	18.1%	21.8%
	Asian-Pacific Islander	Count	10	2	12
		% within Sex	.4%	.4%	.4%
	Am Indian-Alaskan	Count	12	0	12
		% within Sex	.5%	.0%	.4%
	Not Specified	Count	1	0	1
		% within Sex	.0%	.0%	.0%
Total	_	Count	2625	509	3134
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of Exposure	Male-to-Male Sex	Count	1619	0	1619
		% within Sex	61.7%	.0%	51.7%
	IDU	Count	288	157	445
		% within Sex	11.0%	30.8%	14.2%
	M-M & IDU	Count	270	0	270
		% within Sex	10.3%	.0%	8.6%
	Hemophiliac	Count	3	0	3
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	107	210	317
		% within Sex	4.1%	41.3%	10.1%
	Transfusion	Count	8	6	14
		% within Sex	.3%	1.2%	.4%
	Not Classified	Count	314	123	437
		% within Sex	12.0%	24.2%	13.9%
	Ped Parent at Risk	Count	14	12	26
		% within Sex	.5%	2.4%	.8%
	Ped Other-Undet	Count	2	1	3
		% within Sex	.1%	.2%	.1%
Total		Count	2625	509	3134
		% within Sex	100.0%	100.0%	100.0%

a. EMA = Austin

Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

			Adult-Ped		
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	8	1596	1604
		% within Adult-Ped	27.6%	51.4%	51.2%
	African American	Count	14	807	821
		% within Adult-Ped	48.3%	26.0%	26.2%
	Hispanic	Count	7	677	684
		% within Adult-Ped	24.1%	21.8%	21.8%
	Asian-Pacific Islander	Count	0	12	12
		% within Adult-Ped	.0%	.4%	.4%
	Am Indian-Alaskan	Count	0	12	12
		% within Adult-Ped	.0%	.4%	.4%
	Not Specified	Count	0	1	1
		% within Adult-Ped	.0%	.0%	.0%
Total		Count	29	3105	3134
		% within Adult-Ped	100.0%	100.0%	100.0%

a. EMA = Austin